#### **Pre-2006 LBIRU Publications**

(listed by category)

Research has originated from the Brain Injury Rehabilitation Unit since 1987 and has covered the following subjects.

Behaviour Issues/Personality change	Physiotherapy
Case Management	Post-Traumatic Amnesia
<b>Cognitive Processes</b>	Psychosocial recovery and outcomes
Communication/Social Skills	Rehabilitation intervention
<b>Cultural Differences</b>	Sexuality
Family	Social Work
Health Services	Substance Abuse
Nursing	Suicide
Outcome Measures	Policy Submissions/Reports

Citations listed below are categorised and include peer-reviewed journal articles, book chapters, abstracts and conference proceedings.

## **Behaviour Issues/ Personality Change**

- Manchester, D., Hodgkinson, A., and Casey, T. (1997). Prolonged, severe behavioural disturbance following TBI: What can be done? *Brain Injury* 11, 605-617.
- Manchester, D., Hodgkinson, A., Pfaff, A., and Nguyen, G. (1997). A nonaversive approach to reducing hospital absconding in a head-injured adolescent boy. *Brain Injury* 11, 217-277.
- Simpson, G.K., Blaszczynski, A., and Hodgkinson, A. (1999). Sexual offending as a psychosocial sequela of traumatic brain injury. *Journal of Head Trauma Rehabilitation* 14(6), 1-16.
- Simpson, G.K., Tate, R.L., Ferry, K., Hodgkinson, A, and Blaszczynski, A. (2001). Social, neuroradiological, medical and neuropsychological correlates of sexually aberrant behaviour after traumatic brain injury: A controlled study. *Journal of Head Trauma Rehabilitation* 16(6), 556-572.
- Tate, R.L. (1987). Behaviour management techniques for organic psychosocial deficit incurred by severe head injury. *Scandinavian Journal of Rehabilitation Medicine* 19, 19-24.

- Tate, R.L. (1987). Issues in the management of behaviour disturbance as a consequence of severe head injury. *Scandinavian Journal of Rehabilitation Medicine* 19, 13-18.
- Tate, R.L. (2003). Impact of pre-injury factors on outcome after severe traumatic brain injury: Does post-traumatic personality change represent an exacerbation of premorbid traits? *Neuropsychological Rehabilitation* 13(1-2), 43-64.
- Todd, J., Loewy, J., Kelly, G., and Simpson, G.K. (2004). Managing challenging behaviours after acquired brain injury: How to put in place interventions that work. *Brain Impairment* 5, 42-52.

# **Case Management**

Simpson, G.K. & Osoteo T. (2006). Effective case management. In: Introduction to traumatic brain injury: a training kit. <a href="http://www.tbistafftraining.info">http://www.tbistafftraining.info</a>

## **Cognitive Processes**

- Kinch, J. & McDonald, S. (2001). Traumatic brain injury and prospective memory: An examination of the influences of executive function and retrospective memory. *Brain Impairment* 2, 119-130.
- McDonald, S. & Pearce, S. (1998). Requests that overcome listener reluctance: Impairment associated with executive dysfunction in brain injury. *Brain and Language* 61, 88-104.
- McDonald, S. (1996) Hypothesis testing in neuropsychology in context: Another response to the neuropsychology debate. *Australian Psychologist* 31, 73-75.
- McDonald, S. (2000). Neuropsychological studies of sarcasm. *Metaphor and Symbol* 15, 85-98.
- Palmer, H.M. & McDonald, S. (2000). The role of frontal and temporal lobe processes in prospective remembering. *Brain and Cognition* 44, 103-107.
- Tate, R.L. & Perdices, M. (2001). Measuring flexibility in patients with frontal lesions. *Brain and Cognition* 47, 358-362.
- Tate, R.L. (1997). Beyond one-bun, two-shoe: Recent advances in the rehabilitation of acquired memory disorders. *Brain Injury* 11, 907-918.

- Tate, R.L. (1999). Executive dysfunction and characterological changes after traumatic brain injury: two sides of the same coin? *Cortex* 35, 39-55.
- Tate, R.L. (2002). Emotional and social consequences of memory disorders. In: AD Baddeley, BA Wilson and MD Kopelman (Eds.). Handbook of memory disorders. 2<sup>nd</sup> ed.
- Tate, R.L., Fenelon, B. (1991). Neuropsychological functioning after head injury: The perception of impairments by people with head injury and their relatives. In: WR Levick, BG Frost, M Watson & HP Pfister (Eds.). Brain Impairment. Advances in Applied Research. (pp. 89-97). Newcastle: University of Newcastle.
- Tate, R.L., Fenelon, B., Manning, M.L., and Hunter, M. (1991). Patterns of neuropsychological impairment after severe blunt head injury. *Journal of Nervous and Mental Disease* 179, 117-126.
- Tate, R.L., Hodgkinson, A., Veerabangsa, A., and Maggiotto S. (1996). Measuring psychosocial outcome after traumatic brain injury. The reliability and validity of a new scale. In: J Ponsford, P Snow and V Anderson. International Perspectives in Traumatic Brain Injury. Proceedings of the 5th Conference of the International Association for the Study of Traumatic Brain Injury and the 20th Conference of the Australian Society for the Study of Brain Impairment. (pp. 415-419). Australian Academic Press, ASSBI: Queensland, Australia.
- Tate, R.L., Perdices, M., and Maggiotto, S. (1998). Stability of the Wisconsin Card Sorting Test and the determination of reliability of change in scores. *The Clinical Neuropsychologist* 12, 348-357.

### **Communication/ social skills**

- Body, R., Perkins, M., and McDonald, S. (1999). Communication and cognition in McDonald, S., Togher, L. & Code, C. (Eds) Communication disorders following traumatic brain injury. Pp 81-112. Hove, UK: Psychology Press.
- Flanagan, S., McDonald, S. and Togher, L. (1995). Assessing social skills following traumatic brain injury. In J. Fourez and N. Page (Eds) Treatment Issues and Long term outcomes: The proceedings of the 18th Annual Brain Impairment Conference, Hobart, Australia, 1994. Bowen Hills, Queensland: Australian Academic Press on behalf of the Australian Society for the Study of Brain Impairment: Melbourne, pp 31-36.
- Flanagan, S., McDonald, S., and Togher L. (1995) A review of remediation techniques for social skills deficits following traumatic brain injury. Abstracts presented at the 2nd INS Pacific Rim conference. Journal of the International Neuropsychological Society 1, 319.

- Flanagan, S., McDonald, S., and Togher, L. (1995). Evaluating social skills following traumatic brain injury: the BRISS as a clinical tool. *Brain Injury* 9(4), 321-338.
- Flanagan, S., McDonald, S., Rollins, J. & Hodgkinson, A. (1999). Social perception ability following traumatic brain injury In Murdoch, B., Theodoros, D., & Ward, E. (Eds) Brain Impairment and rehabilitation: A national perspective. Proceedings of the 21<sup>st</sup> Annual Brain Impairment Conference, Brisbane, 1997. Bowen Hills, Queensland: Australian Academic Press on behalf of the Australian Society for the Study of Brain Impairment, pp. 59-64.
- Gapes, L.M. & Nagaratanam, N. (1989). Occlusion of the right anterior cerebral artery causing language disturbance in a right handed person. *Journal of Neurologic Rehabilitation* 3 (2), 101-103.
- McDonald, S. & Pearce, S. (1996) Executive impairment and communication skills: The capacity to make requests that overcome listener reluctance In Ponsford, J., Snow, P. & Anderson, V. (Eds) International perspectives in traumatic brain injury. Proceedings of the 5th Conference of the International Association for the Study of Traumatic Brain Injury and the 20th Conference of the Australian Society for the Study of Brain Impairment, Melbourne, Australia, 1996. Australian Academic Press on behalf of the Australian Society for the Study of Brain Impairment: Melbourne, pp 272-275.
- McDonald, S. & van Sommers, P. (1993). Differential pragmatic language loss following closed head injury: Ability to negotiate requests. *Cognitive Neuropsychology* 10, 297-315.
- McDonald, S. (1992) Differential pragmatic language loss following closed head injury: Ability to comprehend conversational implicature. *Applied Psycholinguistics* 13, 295-312.
- McDonald, S. (1992). Communication disorders following closed head injury: New approaches to assessment and rehabilitation. *Brain Injury* 6, 283-292.
- McDonald, S. (1993). Pragmatic language loss following closed head injury: Inability to meet the informational needs of the listener. *Brain and Language* 44, 28-46.
- McDonald, S. (1995). Why do patients with frontal lobe impairment fail to understand sarcasm: An investigation of inference and attitude. In J. Fourez and N. Page (Eds) Treatment Issues and Long term outcomes: The proceedings of the 18th Annual Brain Impairment Conference, Hobart, Australia, 1994. Bowen Hills, Queensland: Australian Academic Press on behalf of the Australian Society for the Study of Brain Impairment. Pp 59-64.

- McDonald, S. (1997). How is sarcasm understood? Clues from studies of brain damage. *Australian Journal of Comedy* 3, 112-119.
- McDonald, S. (1998). Communication and language disturbances following traumatic brain injury. In B. Stemmer & H. A. Whitaker (Eds) Handbook of Neurolinguistics. (pp 487 495), San Diego: Academic Press.
- McDonald, S. (2000). Editorial: Putting communication deficits in context after traumatic brain injury. Special edition: Advances in understanding communication disorders in traumatic brain injury. *Aphasiology* 14, 339-348.
- McDonald, S. (2000). Exploring the cognitive basis of right hemisphere language disorders. *Brain and Language* 75, 82-107.
- McDonald, S. (Ed). (2000). Advances in understanding communication disorders after traumatic brain injury. Hove, UK: Psychology Press.
- McDonald, S. and Pearce, S. (1996). Clinical insights into pragmatic language theory: The case of sarcasm. *Brain and Language* 53, 81-104.
- McDonald, S. and Turkstra, L. (1998). Adolescents with traumatic brain injury: Issues in the assessment of pragmatic language. *Clinical Linguistics and Phoenetics* 12, 237-248.
- McDonald, S., Togher, L., and Code, C. (1999). The nature of traumatic brain injury: Basic features and neuropsychological consequences. In:

  Communication disorders following traumatic brain injury. Brain damage, behaviour and cognition series. McDonald, S., Togher, L. & Code, C. (Eds.), (pp. 19-54), Hove, UK: Psychology Press/Taylor & Francis (UK).
- McDonald, S., Togher, L., and Code, C. (Eds.) (1999). Communication disorders following traumatic brain injury. Brain damage, behaviour and cognition series. Hove, UK: Psychology Press/Taylor & Francis (UK).
- Palmer, H. & McDonald, S. (1995). The clinical assessment of prospective remembering. In J. Fourez and N. Page (Eds) Treatment Issues and Long term outcomes: The proceedings of the 18th Annual Brain Impairment Conference, Hobart, Australia, 1994. Bowen Hills Queensland: Australian Academic Press on behalf of the Australian Society for the Study of Brain Impairment, pp 93-98.
- Pearce, S., McDonald, S. and Coltheart, M. (1998). Ability to process ambiguous advertisements after frontal lobe damage. *Brain and Cognition* 38, 150-164.
- Togher L. & Hand L. (1998). Use of Politeness Markers with Different Communication Partners: An Investigation of Five Subjects with Traumatic Brain Injury. *Aphasiology* 12 (7/8), 755-770.

- Togher L. (1997). Operationalizing Discourse Therapy. *Aphasiology* 11(6), 621 625.
- Togher L., Hand L. and Code C. (1997). Analysing discourse in the traumatic brain injury population: Telephone interactions with different communication partners. *Brain Injury* 11(3), 169-189.
- Togher L., Hand L. and Code C. (1997). Measuring service encounters with the traumatic brain injury population. *Aphasiology* 11 (4-5), 491-504.
- Togher, L. & Hand, L. (1999). The macrostructure of the interview: Are traumatic brain injury interactions structured differently to control interactions? *Aphasiology* 13, 709-723.
- Togher, L. (2000a). Giving information: The importance of context on communicative opportunity for people with traumatic brain injury. *Aphasiology* 14, 365-390.
- Togher, L. (2000b). Discourse sampling with people with neurogenic communication disorders: an evolving science. *Journal of Neurolinguistics*. 13, 260-264.
- Togher, L. (2001). Discourse sampling in the 21<sup>st</sup> century, *Journal of Communication Disorders*. 34 (1/2), 131-150.
- Togher, L., Hand, L., and Code, C. (1996). A new perspective on the relationship between communication impairment and disempowerment following head injury in information exchanges. *Disability and Rehabilitation* 18(11), :559-566.
- Togher, L., Hand, L., and Code, C. (1999). Exchanges of information in the talk of people with traumatic brain injury. In: Communication disorders following traumatic brain injury. Brain damage, behaviour and cognition series. McDonald, S., Togher, L. and Code, C. (Eds.), (113-145), Hove, UK: Psychology Press/Taylor & Francis (UK).
- Togher, L., McDonald, S., and Code, C. (1999). Communication problems following traumatic brain Injury. In: Communication disorders following traumatic brain injury. Brain damage, behaviour and cognition series. McDonald, S., Togher, L. and Code, C. (Eds.), (pp. 1-18), Hove, UK: Psychology Press/Taylor & Francis (UK).
- Togher, L., McDonald, S., Code, C and Grant, S. (2000). Can training communication partners of people with TBI make a difference? *Brain Impairment* 1 (1), 58.
- Turkstra, L., McDonald, S. & Kaufman, P. (1996). A test of pragmatic language function in traumatically brain-injured adolescents. *Brain Injury* 10, 329-345.

Turkstra, L., McDonald, S. and DePompei, R. (2001). Social information processing in adolescents: Data from normally-developing adolescents and preliminary data from their peers with traumatic brain injury. *Journal of Head Trauma Rehabilitation* 16, 469-483.

### **Cultural Differences**

- Simpson GK. (1997) Cultural variations in the understanding of traumatic brain injury: Challenges for service provision. Conference proceedings. Social Work influencing outcomes. 25th AASW National Conference, Canberra, 596-601.
- Simpson, G.K., Mohr, R., and Redman, A. (2000) Cultural variations in the understanding of brain injury and brain injury rehabilitation. *Brain Injury* 14, 125-140

## **Family**

Anderson, M., Simpson, G.K., Mok, M., and Parmenter, T. A contemporary model of stress for understanding family functioning and the psychological distress in relatives of people with severe traumatic brain injury (TBI). In: K.V. Oxington (Ed.). Psychology of Stress, Volume 2. Nova Publishers: New York.

### **Health Services**

- Foster, M., Kuipers, P., Simpson, G.K., Kendall, M., and Hanna, J. (2005). An organizational perspective on goal setting in community-based brain injury rehabilitation. *Disability and Rehabilitation* 27, 901-910.
- Franklin, J., Foreman, M., Kyriakou, A., and Sarnovski, J. (1998). Awareness of psychologists' qualifications, professional associations, and registration amongst General Medical Practitioners, Psychologists and their clients. *Australian Psychologist* 33(3), 217-222.
- Hodgkinson, A., Veerabangsa, A., Drane, D. and McCluskey, A. (2000). Service utilisation following traumatic brain injury. *Journal of Head Trauma Rehabilitation* 15 (6), 1208-1226
- Moseley, A. & Rotem, W. (1995). Establishing standards for the provision of brain injury services. Brain Injury, 9(4): 355-364. Conference Proceedings.

- Tate, R.L., Broe, G.A., and Lulham, J.M. (1989). Impairment after severe blunt head injury: the results of a consecutive series of 100 patients. *Acta Neurologica Scandinavia* 79, 97-100.
- Tate, R.L., McDonald, S., and Lulham, J.M. (1998). Incidence of hospital-treated traumatic brain injury in an Australian community. *Australian and New Zealand Journal of Public Health* 22, 419-423.

### **Nursing**

Woods, K.P. & Karam, D. (1998). Liverpool Hospital Staff perception of Liverpool Brain Injury Unit. *Australasian Journal of Neuroscience Nursing* 11 (4), 4-6.

### **Outcome Measures**

- Tate, R.L., Fenelon, B. (1989). Premorbid personality, posttraumatic personality change and outcome after severe blunt head injury. In: RD Harris, RJ Burns & RJ Rees. (Eds.). Recovery from Brain Damage: Expectations, Needs and Processes. (pp. 82-94). Adelaide: Institute for the Study of Learning Difficulties.
- Tate, R.L., Hodgkinson, A., Veerabangsa, A., and Maggiotto S. (1999). Measuring psychosocial recovery after traumatic brain injury: Psychometric properties of a new scale. *Journal of Head Trauma Rehabilitation* 14(6), 543-558.
- Tate, R.L., Hodgkinson, A., Veerabangsa, A., and Maggiotto, S. (1996). Measuring psychosocial outcome after traumatic brain injury. The reliability and validity of a new scale. In: J Ponsford, P Snow and V Anderson. International Perspectives in Traumatic Brain Injury. Proceedings of the 5th Conference of the International Association for the Study of Traumatic Brain Injury and the 20th Conference of the Australian Society for the Study of Brain Impairment. (pp. 415-419). Australian Academic Press, ASSBI: Queensland, Australia.
- Tate, R.L., Lulham, J.M., and Strettles, B. (1982). Severe Head Injury: outcome, impact and adjustment. In GA Broe and RL Tate (Eds.), Brain Impairment Proceedings of the Fifth Annual Brain Impairment Conference. 81-91. Sydney. The Postgraduate Committee in Medicine of the University of Sydney.
- Tate, R.L., Maggiotto, S., Henry, K., Chan, T., Ward, W., Gilroy, R., and Turner, L. (1999). Measuring changes in psychosocial recovery after traumatic brain injury. In: B Murdoch, D Theodoros and E Ward (Eds.) Brain Impairment and Rehabilitation. Proceedings of the 21st Annual Conference of the

- Australian Society for the Study of Brain Impairment. (pp. 137-139). Australian Academic Press, ASSBI: Bowen Hills, Qld.
- Tate, R.L., Pfaff, A., Veerabangsa, A., and Hodgkinson, A. (2004). Measuring psychosocial recovery after brain injury: Change versus competency. *Archives of Physical Medicine and Rehabilitation* 85, 538-545.

# **Physiotherapy**

- Hassett L, Liu J, Fairbairn T, Clare J (2005). Physiotherapy for the acute management of traumatic brain injury: An information package. GMCT Brain Injury Rehabilitation Directorate: Brain Injury Rehabilitation Unit, Liverpool Hospital, Sydney.
- Herbert, R., Moore, S., Moseley, A., Schurr, K., and Wales, A. (1993). Making inferences about muscle forces from clinical observations. *Australian Journal of Physiotherapy* 39(3), 195-202.
- Lee, M., Moseley, A., and Refshaugee, K. (1990). The effect of feedback on the learning of a vertebral joint mobilisation skill. *Physical Therapy* 70(2), 97-104.
- Moore, S., Schurr, K., Wales, A., Moseley, A. and Herbert, R. (1993). Observation and analysis of hemiplegic gait: swing phase. *Australian Journal of Physiotherapy* 39(4), 271-278.
- Moseley, A. & Adams, R. (1991). Measurement of passive ankle dorsiflexion. Procedure and reliability. *Australian Journal of Physiotherapy* 37, 175-181.
- Moseley, A. (1997). The effect of casting combined with stretching on passive ankle dorsiflexion in adults with traumatic head injuries. *Physical Therapy* 77, 240-247.
- Moseley, A., Wales, A., Herbert, R., Schurr, K., and Moor, S. (1993). Observation and analysis of hemiplegic gait: stance phase. *Australian Journal of Physiotherapy* 39(4), 259-267.
- Moseley, A.M. (1993). The effect of a regimen of casting and prolonged stretching on passive ankle flexion in traumatic head injured adults. *Physiotherapy Theory and Practice* 9, 215-221.
- Moseley, A.M., Lanzarone, S., Bosman, J.M., van Loo, M.A., de Brie, R.A., and Hassett, L. (2004). Ecological validity of walking speed assessment after traumatic brain injury: a pilot study. *Journal of Head Trauma and Rehabilitation* 19, 341-348.

- van Loo, M.A., Moseley, A.M., Bosman, J.M., de Brie, R.A., and Hassett, L. (2004). Test-re-test reliability of walking speed, step length and step width measurement after traumatic brain injury: a pilot study. *Brain Injury* 18, 1041-1048.
- van Loo, M.A., Moseley, A.M., Bosman, J.M., de Brie, R.A., and Hassett, L. (2003). Inter-rater reliability and concurrent validity of step length and step width measurement after traumatic brain injury. *Disability and Rehabilitation* 25, 1195-1200.
- van Loo, M.A., Moseley, A.M., Bosman, J.M., de Brie, R.A., and Hassett, L. (2003). Inter-rater reliability and concurrent validity of walking speed measurement after traumatic brain injury. *Clinical Rehabilitation* 17, 775-779.

## **Post-Traumatic Amnesia**

- Tate, R.L., Perdices, M., Pfaff, A., and Jurjevic, L. (2001). Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements. *Journal of Head Trauma Rehabilitation* 16, 525-542.
- Tate, R.L., Pfaff, A., and Jurjevic, L. (2000). Resolution of disorientation and amnesia during posttraumatic amnesia. *Journal of Neurology, Neurosurgery and Psychiatry* 68, 178-185.
- Tate, R.L. & Pfaff, A. (2000). Problems and pitfalls in the assessment of posttraumatic amnesia. *Brain Impairment* 1 (2), 116-129.

### <u>Psychosocial recovery and outcomes</u>

- Simpson, G.K. (1996) A model of adjustment counselling after traumatic brain injury. In Ponsford J, Snow P, Anderson V [Eds.]. Proceedings of the 5th Conference of the International Association for the Study of Traumatic Brain Injury and 20th Conference of the Australian Society for the Study of Brain Impairment, Melbourne, Australia, 403-406.
- Simpson, G.K., Orchison, R. (1997) An analysis of the psychological process of loss after an acquired brain injury in comparison to a bereavement. Proceedings of the Joint National Conference, for NALAG ACISA ASTSS, 'Trauma, Grief and Growth.' Sydney, 323-327.
- Tate, R.L. & Broe, G.A. (1999). Psychosocial adjustment after traumatic brain injury: What are the important variables? *Psychological Medicine* 29, 713-725.

- Tate, R.L. (1998). "It is not only the kind of injury that matters, but the kind of head". The contribution of premorbid psychosocial factors to rehabilitation outcomes after severe traumatic brain injury.

  Neuropsychological Rehabilitation, 8(1),1-18.
- Tate, R.L., Broe, A., Cameron, I.D., Hodgkinson, A., and Soo, C.A. (2005). Pre-injury, injury and early post-injury predictors of long-term functional and psychosocial recovery after severe traumatic brain injury. *Brain Impairment* 6 (2), 75-89.
- Tate, R.L., Lulham, J.M., Broe, G.A., Strettles, B., and Pfaff, A. (1989). Psychosocial outcome for the survivors of severe blunt head injury: the results from a consecutive series of 100 patients. *Journal of Neurology, Neurosurgery and Psychiatry* 52, 1128-1134.

### **Rehabilitation interventions**

- Shepherd, B. & Strettles, B. (1999). Getting It All Together, A kit for daily living when you have a brain injury. Brain Injury Rehabilitation Unit, Sydney.
- Simpson, G.K., Secheny, T., Lane-Brown, A., Strettles, B., Ferry, K., and Phillips, J. (2004). Postacute rehabilitation for people with traumatic brain injury: A model description and evaluation of the Liverpool Hospital Transitional Living program. *Brain Impairment* 5, 67-80.
- Tate, R.L. (1991). Impairments after severe blunt head injury: Their consequences for rehabilitation and psychosocial reintegration. In: WR Levick, BG Frost, M Watson, HP Pfister (Eds.). Brain Impairment. Advances in Applied Research.(pp. 219-227). Newcastle: University of Newcastle.
- Tate, R.L., Strettles, B., and Osoteo, T. (2003). Enhancing outcomes after traumatic brain injury: A social rehabilitation approach. In: Wilson BA (ed). *Neuropsychological Rehabilitation: Theory & Practice.* (pp. 139-169). Lisse, The Netherlands: Swets and Zeitlinger.
- Tate, R.L., Strettles, B., and Osoteo, T. (2004). The clinical practice of a community rehabilitation team for people with acquired brain injury. *Brain Impairment* 5, 81-92.

### **Sexuality**

Simpson, G.K., Long E. (2004). An evaluation of sex education and information resources and their provision to adults with traumatic brain injury. *Journal of Head Trauma Rehabilitation* 19, 413-427.

- Simpson, G.K., McCann, B., and Lowy, M. (2003) Treatment of premature ejaculation after traumatic brain injury: A case report. *Brain Injury* 17, 723-729.
- Simpson, G.K. (2001). Addressing the sexual concerns of persons with traumatic brain injury in rehabilitation settings: A framework for action. *Brain Impairment* 2(2), 97-108.
- Simpson GK. (2003) You and Me. An education program about sex and sexuality after traumatic brain injury. (2nd ed.) South Western Sydney Area Health Service, Sydney.
- Simpson GK. (2003) You and Me. A guide to sex and sexuality after traumatic brain injury. (2nd ed.) South Western Sydney Area Health Service, Sydney. (Booklet)
- Simpson GK. & Orchison R (2006). Sexuality after traumatic brain injury: issues and strategies. In: Introduction to traumatic brain injury: a training kit. <a href="http://www.tbistafftraining.info">http://www.tbistafftraining.info</a>

### **Social Work**

Simpson GK, Simons M, McFadyen M. (2002) The challenges of a hidden disability: Social work practice in the field of traumatic brain injury. *Australian Social Work* 55 (1): 24-37

### **Substance Abuse**

- McFadyen, M. & Griffiths, M. (1998). Alcohol related brain damage (ARBD) in Lampton, B., Meet Dementia, The Bad Hawk that Steals, Alzheimers Association (SA) Inc. and Aboriginal Drug and Alcohol Council (SA) Inc.
- McFadyen, M. (1998). Substance or cognition: What is the basis of the problem? NSW Aged Care Assessment Teams' Conference, Sydney, November 25-26.

## **Suicide**

Simpson, G.K. & Tate, R.L. (2002). Suicidality after traumatic brain injury:

Demographic, injury and clinical correlates. *Psychological Medicine* 32, 687-697

- Simpson, G.K. & Tate, R.L. (2005). Clinical features of suicide attempts after TBI. *The Journal of Nervous and Mental Disease* 193, 680-685.
- Simpson, G.K. (2001). Suicide prevention after traumatic brain injury: A resource manual. Brain Injury Rehabilitation Unit, Sydney. Conference Proceedings
- Simpson, G.K., Winstanley, J., and Bertapelle, T. (2003). Evaluation of a suicide prevention training workshop for staff working in the field of traumatic brain injury. *Journal of Head Trauma Rehabilitation* 18 (5), 445-456.
- Tate, R.L., Simpson, G.K., Flanagan, S., and Coffey, M. (1997). Completed suicide after traumatic brain injury. *Journal of Head Trauma Rehabilitation* 12 (6), 16-28

## **Policy Submissions/Reports**

- Hodgkinson, A., Bush, M., Strettles, B., McFadyen, M., Hopman, K., Simpson, G., and Tandon, G. (2004). "This is a place for dying, not a place for living" The plight of young people with acquired brain injury in nursing homes. Submission to the Commonwealth Government Senate Community Affairs References Committee Inquiry into Aged Care. Brain Injury Rehabilitation Unit: Sydney Australia.
- Strettles, B., Bush, M., Simpson, G., & Gillett, L. (2005). Forced Choices:

  Accommodation in NSW for adults with high care needs after traumatic brain injury. Policy report for the Motor Accidents Authority of NSW.