LBIRU Publications 2007 - 2012

2012

- Arguedas D, Stevenson RJ, & Langdon R. (2012, March 19). Source monitoring and olfactory hallucinations in schizophrenia. *Journal of Abnormal Psychology*. Advance online publication. doi: 10.1037/a0027174.
- Arguedas D, Langdon R, & Stevenson R. (2012). Neuropsychological characteristics associated with olfactory hallucinations in schizophrenia. *Journal of the International Neuropsychological Society.* 18 (5), 799-808.
- Baguley IJ, Nott MT, Howle AA, Simpson GK, Browne S, King AC, Cotter RE & Hodgkinson A. (2012). Late mortality after severe traumatic brain injury in New South Wales: A multicentre study. *The Medical Journal of Australia*, 196(1), 40-45.
- DeWolf AC., Tate RL, Lannin NA, Middleton J, Lane-Brown A, & Cameron ID. (2012) The World Health Organization Disability Assessment Scale, WHODAS II: Reliability and validity in the measurement of activity and participation in a spinal cord injury population. *Journal of Rehabilitation Medicine*, 44(9), 747-755.
- Doig E & Lane-Brown A. (2012). Responsiveness of instruments to assess disorders of consciousness: A literature review. *Brain Impairment, 13* (3), 285-315.
- Hassett LM, Moseley AM, Whiteside B, Barry S, & Jones T. (2012). Circuit class therapy can provide a fitness training stimulus for adults with severe traumatic brain injury: A randomised trial within an observational study. *Journal of Physiotherapy*, *58*(2), 105-112.
- Leung J, Harvey LA, Moseley AM, Tse C, Bryant J, Wyndham S, & Barry S. (2012) Electrical stimulation and splinting were not clearly more effective than splinting alone for contracture management after acquired brain injury: A randomised trial. *Journal of Physiotherapy*, *58*(4), 231-240.
- Sabaz M, Simpson GK, Walker AJ, Rogers JM, Gillis I, Strettles B. (2013). Prevalence, Comorbidities, and Correlates of Challenging Behavior Among Community-Dwelling Adults With Severe Traumatic Brain Injury: A Multicenter Study. Journal of Head Trauma Rehabilitation, Online First. DOI: 10.1097/HTR.0b013e31828dc590
- Simpson GK & Baguley IJ. (2012). Prevalence, correlates, mechanisms and treatment of sexual health problems after traumatic brain injury: A scoping review. *Critical Reviews in Physical Medicine and Rehabilitation, 24*(1-2), 1-34.
- Tate R, Simpson GK, Lane-Brown A, Soo C, de Wolf A, & Whiting DL. (2012). Sydney Psychosocial Reintegration Scale (SPRS-2): Meeting the challenge of

measuring participation in neurological conditions. *Australian Psychologist*, 47(1), 20-32.

- Whiting DL, Simpson GK, Koh ES, Wright KM, Simpson T, & Firth R. (2012). A multitiered intervention to address behavioural and cognitive changes after diagnosis of primary brain tumour: A feasibility study. *Brain Injury*, 26(7-8), 950-961.
- Whiting DL, Simpson GK, McLeod HJ, Deane FP, Ciarrochi J. (2012). Acceptance and Commitment Therapy (ACT) for treating psychological adjustment after traumatic brain injury: Reporting the protocol for a clinical trial. *Brain Impairment*, 13(3), 360-376

- Hassett, LM., Tate, RL., Moseley, AM, & Gillett, LE. (2011). Injury severity, age and pre-injury exercise history predict adherence to a home-based exercise programme in adults with traumatic brain injury. *Brain Injury, 25*(7-8), 698-706.
- Kelly, G., Simpson, GK. (2011). Remediating serious inappropriate sexual behavior in a male with severe acquired brain injury. *Sexuality and Disability*, *29*, 313-327.
- Pegum, N., Connor, JP., Feeney, GFX., Young, R. (2011). Neuropsychological Functioning in Patients With Alcohol-Related Liver Disease Before and After Liver Transplantation. *Transplantation* (e-publication ahead of print Nov 2011).
- Simpson GK, Tate RL, Whiting DL, Cotter RE. (2011) Suicide prevention after traumatic brain injury: A randomised control trial of a program for the psychological treatment for hopelessness. *Journal of Head Trauma Rehabilitation 26*(4):290-300.
- Simpson GK, Tate RL, Whiting DL, Cotter RE. (2011). Suicide prevention after traumatic brain injury: A randomised control trial of a program for the psychological treatment of hopelessness. *Journal of Head Trauma Rehabilitation*, 26, 290-300.
- Simpson GK., Brenner L. (2011) Preface: Perspectives on Suicide and Traumatic Brain Injury. *Journal of Head Trauma Rehabilitation*, 26, 241-243.
- Tate R, Simpson G, Lane-Brown A, Soo C, de Wolf A, Whiting D (2011). Sydney Psychosocial Reintegration Scale (SPRS-2): Meeting the challenge of measuring participation in neurological conditions. *Australian Psychologist* [in press] Invited publication.
- Tate RL, Simpson GK, Soo C, Lane-Brown A. (2011). Participation after acquired brain injury: clinical and psychometric considerations of the Sydney Psychosocial Reintegration Scale (SPRS). *Journal of Rehabilitation Medicine*, 43, 609-618.

- Kosch, Y., Browne, S., King, C., Fitzgerald, J., Cameron I. (2010) Post-traumatic amnesia and its relationship to the functional outcome of people with severe traumatic brain injury. Brain Injury, 24 (3): 479-485.
- McDonald, S., Hunt, C., Henry, J. D., Dimoska, A. & Bornhofen, C. (2010). Angry responses to emotional events: The role of impaired control and drive in people with severe traumatic brain injury. Journal of Clinical and Experimental Neuropsychology, Vol.32(8), Oct 2010, pp. 855-864.
- Metcalf, K., Langdon, R., & Coltheart, M. (2010). The role of personal biases in the explanation of confabulation. Cognitive Neuropsychiatry, 15, 64-69.
- Moseley AM, Hassett LM. Ch:12 Traumatic Brain Injury. (2010) In Carr J, Shepherd R (Eds) Neurological Rehabilitation: Optimising Motor Performance (2nd ed), Churchill Livingstone, England.
- Simpson, GK., Simons, M. (2010). Promoting positive sexual development among children and adolescents after acquired brain injury. Social Care and Neurodisability, 1, 19-30.
- Togher L, Power E, McDonald S, Tate R, Rietdijk R (2010). TBI express: a communication training program for everyday communication partners of peopple with TBI. *ACQuiring knowledge in speech, language and hearing,* 12(2):82-84.
- Togher L, Power E, Tate R, McDonald S, Rietdijk R (2010). Measuring the social interactions of people with traumatic brain injury and their communication partners: the adapted Kagan scales. *Aphasiology*, 24(6-8):914-927.

2010

2009

- Anderson MI, Simpson GK, Morey PJ, Mok M, Gosling TJ, Gillett LE. Differential pathways of psychological distress in spouses versus parents of people with severe traumatic brain injury (TBI): Multigroup analysis. Brain Injury, 2009; 23:931-943. (IF 1.250)
- Arguedas D., & Batchelor, J. (2009). 18q Deletion syndrome: A neuropsychological case study. Neurocase; 15(2): 101-109.
- Hassett LM, Moseley AM, Tate RL, Harmer AR, Fairbairn TJ, Leung J. (2009) Efficacy of a fitness centre-based exercise programme compared with a home-based exercise programme in traumatic brain injury: A randomized controlled trial. Journal of Rehabilitation Medicine; 41: 247-255
- Hodgkinson A., Gillett, L. Simpson, GK. (2009). Does Apolipoprotein E Play a Role in Outcome after Severe Traumatic Brain Injury? Brain Impairment, 10(2), 162-168.
- McDonald, S, Bornhofen C, Hunt C.(2009) Addressing deficits in emotion recognition after severe traumatic brain injury: The role of focused attention and mimicry. Neuropsychological Rehabilitation: An International Journal; 19(3): 321 – 339
- Simpson GK and Tate RL. (2009). Suicidality and suicide prevention among war veterans with Traumatic Brain Injury. In: L. Sher and A. Vilens (Eds.). Suicide in the Military. Nova Science Publishers: New York, pp.161-182.

- Hassett, L.M., Moseley, A.M., Tate, R., Harmer, A.R. (2008). Fitness training for cardiorespiratory conditioning after traumatic brain injury (review). *Cochrane Database of Systematic Reviews* Issue 2:Epub.
- Moseley, A.M., Hassett, L.M., Leung, J., Clare, J.S., Herbert, R.D., & Harvey, L.A. (2008). Serial casting versus positioning for the treatment of elbow contractures in adults with traumatic brain injury: a randomized controlled trial. *Clin Rehabil*, *22*, 406-17.
- Moseley, A.M., et al., (2008). Serial casting versus positioning for the treatment of elbow contractures in adults with traumatic brain injury: a randomized controlled trial. *Clinical Rehabilitation*, *22*(5): 406-17.
- McDonald, S., et al., (2008). Social skills treatment for people with severe, chronic acquired brain injuries: a multicenter trial. *Arch Phys Med Rehabil, 89,* 1648-59.
- Bornhofen, C., et al., (2008). Treating deficits in emotion perception following traumatic brain injury. *Neuropsychological Rehabilitation*, 18(1), 22-44.
- Bornhofen, C., et al., (2008). Comparing strategies for treating emotion perception deficits in traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 23(2), 103-15.
- Bornhofen, C. & S. McDonald. (2008). Emotion perception deficits following traumatic brain injury: A review of the evidence and rationale for intervention. *Journal of the International Neuropsychological Society*, *14*(04), 511-525.

- Hassett, L.M., Harmer, A.R., Moseley, A.M., Mackey, M.G. (2007). Validity of the modified 20-metre shuttle test: assessment of cardiorespiratory fitness in people who have sustained a traumatic brain injury. *Brain Injury* 21(10):1069-1077.
- Leung, J., Moseley, A., Fereday, S., Jones, T., Fairbairn, T., & Wyndham, S. (2007). The prevalence and characteristics of shoulder pain after traumatic brain injury. *Clin Rehabil, 21*(2), 171-181.
- Metcalf, K., Langdon, R., Coltheart, M. (2007). Models of confabulation: A critical review and a new framework. *Cognitive Neuropsychology*. 24(1), 23-47.
- Rogers, J.M., & Read, C. A. (2007). Psychiatric comorbidity following traumatic brain injury. *Brain Inj,21(13-14)*, 1321-33.
- Simpson, G. K., & Tate, R. L. (2007). Preventing suicide after traumatic brain injury: implications for general practice. *Med J Aust, 187*(4), 229-232.
- Simpson, G., Franke, B., & Gillett, L. (2007). Suicide prevention training outside the mental health service system: evaluation of a state-wide program in Australia for rehabilitation and disability staff in the field of traumatic brain injury. *Crisis*, 28(1), 35-43.
- Simpson, G., Tate, R (2007). Suicidality in people surviving a traumatic brain injury: Prevalence, risk factors and implications for clinical management. *Brain Injury* 21(13-14):1335-51.
- Soo, C., Tate, R., Hopman, K., Forman, M., Secheny, T., Aird, V., Browne, S., Coulston, C. (2007). Reliability of the Care and Needs Scale for Assessing Support Needs after Traumatic Brain Injury. *J Head Trauma Rehabil* 22(5): 288-95.